



www.austindo.id



Specifications :

Stainless Steel 304

- High Quality Material and Finished
- Available in 1, 2 and 3 Washing Station



Automatic Soap Dispenser Stainless Steel Cover by **OUSTINDO**

Removable Spout for Sterilization Bacterial issue inside the tapware



DELABIE

other tap



Automatic Sensor Operation with Auto Flush every 24 hours by DELABIE

Easy for Maintenance More Hygienic Water with :

- Clean Water PE-Xa Pipe by Uponor
- UV Sterilizer
- Water Filter 5 Micron
- Thermostatic Mixing Valve




 Jakarta
 Bali

 Phone : +62 21 424 5952
 Phone : +62 361 767 570

 Email : sanwell@austindo.id
 Email : bali@austindo.id

Technical Drawing



3 (three) stations, L= 2400 mm






www.austindo.id

Jakarta Bali Phone : +62 21 424 5952 Phone : +62 361 767 570 Email : sanwell@austindo.id Email : bali@austindo.id

Technical Drawing



2 (two) stations, L= 1600 mm3 (three) stations, L= 2400 mm

nn

Specifications:

High Quality Material and Finished
Available in 1, 2 and 3 Washing Station

Automatic Soap Dispenser

Stainless Steel Cover

by austindo

Stainless Steel 304

austindo

High Quality, DR Brass Chromed plated Spout by **ENWARE**

Automatic Sensor Operation

with Waving System

≋ENWARE



Easy for Maintenance More Hygienic Water with :

Clean Water PE-Xa Pipe by Up0001

by

- UV Sterilizer
- Water Filter 5 Micron
- Thermostatic Mixing Valve





www.austindo.id


Specifications:

Stainless Steel 304

- High Quality Material and Finished
- Available in 2 and 3 Washing Station



Automatic Soap Dispenser Stainless Steel Cover by austindo





DELABIE

other tap



Automatic Sensor Operation with Auto Flush every 24 hours by DELABIE

Easy for Maintenance

More Hygienic Water with :


- Clean Water PE-Xa Pipe by UD0001
- UV Sterilizer
- Water Filter 5 Micron
- Thermostatic Mixing Valve



Jakarta Bali Phone: +62 21 424 5952 Email : sanwell@austindo.id Email : bali@austindo.id

Phone: +62 361 767 570

Technical Drawing



2 (two) stations, L= 1600 mm 3 (three) stations, L= 2400 mm





Specifications :

Stainless Steel 304

High Quality Material and Finished

Automatic Soap Dispenser

Stainless Steel Cover


• Available in 2 and 3 Washing Station

 Jakarta
 Bali

 Phone : +62 21 424 5952
 Phone : +62 361 767 570

 Email : sanwell@austindo.id
 Email : bali@austindo.id

Technical Drawing



2 (two) stations, L= 1400 mm 3 (three) stations, L= 2100 mm



www.austindo.id





Anti-bacterial Removable Spout

- Single use spout filter tapware with strerillising grade 0.02 micron absoluted rated
- Hydrophilic polyethylene hollow fibres

by DELABIE



Automatic Sensor Operation with Auto Flush every 24 hours by DELABIE

Easy for Maintenance More Hygienic Water with :

- Clean Water PE-Xa Pipe by Uponor
- UV Sterilizer
- Water Filter 5 Micron
- Thermostatic Mixing Valve